

Subdivisions of T 24 S. R 7 W. W.M.

CHAINS	
	fractional secs. 15 and 22, marked S 15 on N., M C on E., S 22 on S., and T 24 S R 7 W on W., sides, from which
	A Fir, 7 ins. diam., bears S.21*W., 26 lks. dist., marked T 24 S R 7 W S 22 M C B T.
	A Fir, 6 ins. diam., bears N.5*E., 28 lks. dist., marked T 24 S R 7 W S 15 M C B T.
	I continue line E., 54 lks. or
26.00	To waters edge and send a flag across to right bank of river in line and run N.13*2'E., 200 lks. for base, from which flag bears S.73*21'E.
	The dist. to flag is therefore 6.52 chs.
32.52	To right bank of river at waters edge.
	I then go across to flag and run E., 30 lks. or altogether
32.88	To the meander cor. on right bank which is a post, 4 ins. sq., marked S 15 on N., T 24 S R 7 W on E., S 22 on S and M C on W. sides, from which
	A Fir, 16 ins. diam., bears S.60*E., 8 lks. dist., marked T 24 S R 7 W S 22 M C B T.
	A Fir, 14 ins. diam., bears N.30*E., 29 lks. dist., marked T 24 S R 7 W S 15 M C B T.
34.70	Marked a fir, 4 ins. diam., for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S on N side, from which
	A Fir, 50 ins. diam., bears S.43*W., 18 lks. dist., marked S P T.
	A Fir, 40 ins. diam., bears N.51*E., 31 lks. dist., marked $\frac{1}{4}$ S B T.
	Ascend over broken N. slope.
74.70	The cor. to secs. 14, 15, 22 and 23, which is a Chinquapin 8 ins. diam., marked T 24 S S 14 on NE., R 7 W S 23 on SE., S 22 on SW., and S 15 on NW., with 3 notches on S. and 2 notches on E. sides, from which

See-corrected Field Notes. 26.3275