

Retracement of Subdivision of T. 24 S., R. 9 W.

CHAINS

The true bearing of this line is therefore N.0°20'W.

The old post being much decayed, I destroy same and at the same point, set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11 mkd. T 24 S S 2 on NE.

R 9 W S 11 on SE.

S 10 on SW. and

S 3 on NW face, with 5 notches on S., and 2 notches on E. edge.

Land, mountainous.

Soil in Lake Creek Bottom, 2nd rate; remainder 3rd rate.

Timber, fir.

Undergrowth, vinemaple, salal and Oregon grape.

Land, mountainous, heavily timbered or covered with dense undergrowth, 79.47 chains.

August 19, 1905

At the cor. of Secs. 2, 3, 10 and 11.

Thence I run

West, on a blank line bet. secs. 3 & 10.

Over mountainous land, through heavy timber and dense undergrowth.

1.00 Lake Creek, 75 lks. wide; course NE and ascend.

28.50 Summit of divide, 550 ft. above Lake Creek, bears N. 70°W., and S. 70°E.

38.97 The  $\frac{1}{4}$  sec. cor. which is a post with marks rotted away, witnessed as described by the Surveyor General, bears South, 43 lks. dist.

The true bearing of this line is therefore S.89°22'W.

I destroy old post and at the same point, set a new rhododendron post, 3 ft. long, 3 ins. sq., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S 3 on N. face.

I continue from the  $\frac{1}{4}$  sec. cor.,

West, on a blank line.