

## Subdivisions of T. 24 S., R 9 W.

CHAINS	
	<p>I then return to the cor. of secs. 19, 24, 25 and 30 and after destroying all marks on old post and bearing trees referring to secs. 19 and 30, at the point of intersection.</p> <p>Set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for C. C. of secs. 19 and 30, marked C C T 24 S R 9 W on E., S 19 on N., and S 30 on S. face, with 2 grooves on S., and 4 grooves on N. face; from which</p> <p style="padding-left: 40px;">A chinquapin, 10 ins. dia., bears N.51*E., 23 lks. dis. mkd. T 24 S R 9 W S 19 B T.</p> <p style="padding-left: 40px;">A fir, 16 ins. dia., bears S.29*E., 12 lks. dis. mkd. T 24 S R 9 W S 30 B T.</p> <p>Thence I run N.89*45'E., on a true line bet. secs. 19 and 30. Descend over mountainous land through heavy timber and dense undergrowth.</p>
9.84	Branch, 2 lks. wide, 150 ft. below sec. cor; course S. Ascend.
15.75	A divide, 50 ft. above branch, bears N. and S.
27.85	Branch, 2 lks. wide; course S.
30.14	Branch, 2 lks. wide; course SW.
34.69	<p>Set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for <math>\frac{1}{2}</math> sec. cor. marked <math>\frac{1}{2}</math> S 19 on N., and 30 on S. face; from which</p> <p style="padding-left: 40px;">A chinquapin, 8 ins. dia., bears N. 34*W., 6 lks. dis. mkd. <math>\frac{1}{2}</math> S 19 B T.</p> <p style="padding-left: 40px;">A fir, 10 ins. dia., bears S.17*W., 22 lks. dis. mkd. <math>\frac{1}{2}</math> S 30 B T.</p>
46.70	Branch, 1 lk. wide; course S.
71.75	Summit of divide bet. Coos River and Lake Creek, 100 ft. above lesser divide at 15.69 chs.
74.69	The cor. of secs. 19, 20, 29 and 30, 50 ft. below top of of divide.