

County Surveyor's Record, Douglas County, Oregon

Subdivisions T. 25 S., R 1 W., W.M.

CHAINS	
	<p>Soil, clay loam, 2nd rate.</p> <p>Timber, fir, hemlock, cedar, pine, alder and maple.</p> <p>Undergrowth, fir, hemlock, chinquapin, dogwood and maple.</p> <p>Mountainous land, or land covered with heavy timber or dense undergrowth, 79.80 chs.</p> <p style="text-align: right;">Aug. 15th, 1900</p>
	<p>N.2'W., bet. secs. 15 and 16.</p> <p>Over mountainous land, through heavy timber and dense undergrowth.</p> <p>Descend 200 ft. to</p> <p>20.91 Spring branch, 2 lks. wide, flows E and ascend 40 ft. to</p> <p>25.00 Spur slopes E., and descend 50 ft. to</p> <p>31.70 Spring branch, 1 lk. wide, flows E and ascend 30 ft. to.</p> <p>34.50 Spur slopes E and descend 50 ft. to</p> <p>40.00 Set a basalt stone, 14x10x8 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W face, from which</p> <p style="padding-left: 40px;">A Hemlock, 17 ins. diam., bears S.44*30'E., 4 lks. dist., marked $\frac{1}{4}$ S 15 B T.</p> <p style="padding-left: 40px;">A dogwood, 5 ins. diam., bears N.38*W., 24 lks. dist., marked $\frac{1}{4}$ S 16 B T., continue descent about 50 ft. to</p> <p>48.75 Spring branch, 3 lks. wide, flows E.</p> <p>53.25 Spring branch, 1 lk. wide, flows SE., and ascend 150 ft. to</p> <p>63.50 Spur slopes E and descend 200 ft. to</p> <p>80.00 A fir, 12 ins. diam., for cor. of secs. 9, 10, 15, and 16, I mark</p> <p style="padding-left: 40px;">T 25 S S 10 on NE.</p> <p style="padding-left: 40px;">R 1 W S 15 on SE.</p> <p style="padding-left: 40px;">S 16 on SW and</p> <p style="padding-left: 40px;">S 9 on NW sides, with 4 notches on S and 3 notches on E sides, from which</p>