

63
County Surveyor's Record, Douglas County, Oregon

3537

Subdivisions T. 25 S., R 1 W., W.M.

CHAINS

A Fir, 12 ins. diam., bears N.50*E., 27 lks.
dist., marked T 25 S R 1 W S 10 B T.

A Fir, 14 ins. diam., bears S.61*E., 44 lks.
dist., marked T 25 S R 1 W S 15 B T.

A Dogwood, 6 ins. diam., bears S.77*W., 44 lks.
dist., marked T 25 S R 1 W S 16 B T.

A Cedar, 5 ins. diam., bears N.41*W., 28 lks.
dist., marked T 25 S R 1 W S 9 B T.

Land rolling and mountainous.

Soil, clay loam, 2nd rate.

Timber, fir, hemlock, pine and cedar.

Undergrowth, fir, hemlock, dogwood, chinquapin, maple
and rhododendron.

Mountainous land, or land covered with heavy timber or
dense undergrowth, 80.00 chs.

40.00

S.89*56'E., on a random line bet. secs. 10 and 15.

Set a temp. $\frac{1}{4}$ sec. cor.

80.24

Intersect N and S line at the cor. of secs. 10, 11, 14,
and 15.

Thence I run

N.89*56'W., on a true line bet. secs. 10 and 15.

Over mountainous land, through heavy timber and dense
undergrowth.

Ascend 200 ft. to

16.00

Spur slopes N and descend 40 ft. to

20.75

Spring branch, 1 lk, wide, flows NE and ascend 150 ft.
to

40.12

Summit of spur slopes N.

A Hemlock, 6 ins. diam., I mark $\frac{1}{4}$ S 10 on N., S 15
on S sides, for $\frac{1}{4}$ sec. cor., from which

A Dogwood, 6 ins. diam., bears N.5*E., 26 lks.
dist., marked $\frac{1}{4}$ S B T

A Hemlock, 12 ins. diam., bears S 51*E., 28 lks.
dist., marked $\frac{1}{4}$ S B T., and descend 200 ft. to