

Subdivisions T. 25 S., R 1 W., W.M.

CHAINS	
63.00	Spur slopes NE and descend 40 ft. to
68.00	Spring branch, 1 lk. wide, flows NE., and ascend 300 ft. to
80.23	The cor. of secs. 3, 4, 9, and 10. Land mountainous. Soil, clay loam, 3rd rate. Timber, fir, hemlock, pine, cedar, alder and yew. Undergrowth, hemlock, fir, dogwood, chinquapin and spicewood. Mountainous land, or land covered with heavy timber or dense undergrowth, 80.23 chs.  Aug. 18th, 1900
	N.3'W., bet. secs. 32 and 33. Over mountainous land through heavy timber and dense undergrowth. Descend 30 ft. to
2.00	Ravine, course W and ascend 50 ft. to
5.50	Spur slopes W and descend along E slope 30 ft. to
10.00	Brook, 5 lks. wide, flows S.15*W and ascend along bottom of ravine.
16.50	Same brook flows S.10*E., and ascend 75 ft. to
24.50	Spur slopes W and descend 40 ft. to
33.51	Spring branch, 1 lk. wide, flows SW and ascend steep rocky hill about 100 ft. to
40.00	Set a basalt stone, 17x8x6 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W face, from which A Dogwood, 6 ins. diam., bears S.22*E., 30 lks. dist., marked $\frac{1}{4}$ S 33 B T. A dogwood, 7 ins. diam., bears N.8*W., 18 lks. dist., marked $\frac{1}{4}$ S 32 B T., and continue ascent
59.00	Summit of ridge bears NW and SE., about 500 ft. above spring branch and descend 250 ft. to
75.12	Spring branch, 1 lk. wide, flows E and ascend 80 ft. to
80.00	Set a basalt stone, 20x10x9 ins., 15 ins. in the ground for cor. of secs. 28, 29, 32, and 33, marked with