

North Boundary of T. 26 S., R. 2 W., W. M. as surveyed by John A. McQuinn, Deputy Surveyor, under Contract No. 466 dated April 5, 1883.

CHAINS	
	<p>From the corner to Tps. 25 & 26 S., ranges 2 & 3 W., X which is a post 4½ ins. sq., firmly set in the ground marked T 25 S S 31 on NE., R 2 W S 6 on SE., T 26 S S 1 on SW., R 3 W S 36 on NW., faces with 6 notches on each edge. from which,</p> <p>A red fir, 7 ins. diam., bears S.5*W., 57 lks. dist., marked T 26 S R 3 W S 1 B T.</p> <p>A red fir, 40 ins. diam., bears S.36*E., 64 lks. dist., marked T 26 S R 2 W S 6 B T.</p> <p>A maple, 2 ins. diam., bears N.35*E., 42 lks. dist., marked T 25 S R 2 W S 31 B T.</p> <p>A maple, 2 ins. diam., bears N.51*W., 26 lks. dist., marked T 25 S R 3 W S 36 B T.</p> <p>I run East on random line between said Tps., the var. of my compass being 19½*E. I set temporary half mile & mile corners at each 40 and 80 chains & find the township line to be 5 miles, 78 chains & 34 lks. long, and the falling to be 1 ch. & 92 lks. North of corner to Townships 25 & 26 S., R's. 1 & 2 W. the correction for the true line will therefore be 32 lks. North and 192 lks. W per mile and its course will be N.89*47'W.</p> <p>From the corner of Tps. 26 & 25 S., R's. 1 & 2 W., #1 run N.89*47'W., on true line between Secs. 1 & 36.</p> <p style="text-align: right;">Va. 19½*East.</p> <p>Through heavy timber.</p>
21.10	A fir, 38 ins. diam.
40.00	<p>Set yew post 3 ft. long, 3 ins. sq., 24 ins. in the ground for ¼ sec. corner marked ¼ on N face, from which,</p> <p>A fir, 36 ins. diam., bears N.60*E., 35 lks. dist., marked ¼ S B T.</p> <p>A fir, 36 ins. diam., bears S.5*W., 67 lks. dist., marked ¼ S B T.</p>
42.50	A brook 2 lks. wide, course N.20*E.
47.80	A fir, 30 ins. diam.