

Subdivisions and Exterior Lines of T. 25 S., R. 2 W., W. M.

CHAINS

West between secs. 25 and 36 .

Over rolling ground, through heavy timber and dense undergrowth.

Ascend.

12.14 Trail from Rock Creek to Steamboat Creek, bears NE and SW.

13.50 Summit of flat ridge, bears N and S and descend gradually.

40.00 Set a basalt stone 16 x 12 x 7 ins., 11 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N face, from which,A fir, 14 ins. diam., bears N.65*W., 33 lks. dist., marked $\frac{1}{4}$ S 25 B T.A fir 14 ins. diam., bears S.61*W., 33 lks. dist., marked $\frac{1}{4}$ S 36 B T.

69.25 Spring branch, 1 lk. wide, flows S in ravine 50 ft. deep.

71.10 Trail to Rock Creek bears NW and SE.

80.00 Set a basalt stone 18 x 10 x 8 ins., 12 ins. in the ground for cor. of secs. 25, 26, 35 and 36 marked with 1 notch on S and E edges, from which,

A fir, 30 ins. diam., bears N.17*E., 57 lks. dist., marked T 25 S R 2 W S 25 B T.

A fir, 15 ins. diam., bears S.70*E., 78 lks. dist., marked T 25 S R 2 W S 36 B T.

A fir, 16 ins. diam., bears S.31*W., 127 lks. dist., marked T 25 S R 2 W S 35 B T.

A fir, 60 ins. diam., bears N.40*W., 40 lks. dist., marked T 25 S R 2 W S 26 B T.

Land rolling. Soil clay loam, 2nd rate. Timber fir, pine and hemlock. Undergrowth vine maple, hazel, willow, fir and hemlock. Land covered with heavy timber or dense undergrowth, 80 chs.

South $1\frac{1}{2}$ on a random line between secs. 35 and 36.

40.00 Set a temp. $\frac{1}{4}$ sec. cor.

78.51 Intersect the South Boundary of Tp. 148 lks. W. of the cor. of secs. 1, 2, 35 and 36 which is a cedar post firmly set marked and witnessed as described as described by the Surveyor General. At the point of intersection