

## Subdivisional and exterior Lines of T. 25 S., R. 2 W., W. M.

## CHAINS

N. 2' W. between secs. 22 and 23.

Over mountainous land, through heavy timber and dense undergrowth.

Descend along W. slope about 60 ft. to

5.00 Ravine, course W. and ascend 100 ft. to

24.00 Spur, slopes NW and descend.

40.00 Set a basalt stone 22 x 10 x 6 ins., 16 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face, from which

A cedar, 16 ins. diam., bears N. 40\*E., 24 lks. dist., marked  $\frac{1}{4}$  S 23 B T.

A hemlock, 7 ins. diam., bears S. 55\*W., 12 lks. dist., marked  $\frac{1}{4}$  S 22 B T.

41.88 Spring branch, 5 lks. wide, flows NW., about 200 ft. below spur and ascend 30 ft. to

44.00 Spur, slopes W. and descend 35 ft. to

45.50 Brook, 8 lks. wide, flows W. and ascend.

51.30 Spring branch, 1 lk. wide, flows SW.

80.00 A point about 200 ft. above brook on summit of ridge bearing E and W.

Set a chinquapin post 3 ft. long, 4 ins. sq., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23 marked T 25 S S 14 on NE., R 2 W S 23 on SE., S 22 on SW. and S 15 on NW faces with 3 notches on S. and 2 notches on E. edges, from which

A pine, 8 ins. diam., bears N. 46\*E., 6 lks. dist., marked T 25 S R 2 W S 14 B T.

A hemlock, 6 ins. diam., bears S. 67\*E., 31 lks. dist., marked T 25 S R 2 W S 23 B T.

A hemlock, 8 ins. diam., bears S. 51\*W., 22 lks. dist., marked T 25 S R 2 W S 22 B T.

A pine, 7 ins. diam., bears N. 35\*W., 18 lks. dist., marked T 25 S R 2 W S 15 B T.

Land mountainous.