

Subdivisional and Exterior Lines of T. 25 S., R. 2 W., W. M.

CHAINS	Mountainous land or land covered with heavy timber or dense undergrowth. 79.98 chs.
40.00	N.2'W on a random line between secs. 3 and 4. Set a temp. $\frac{1}{4}$ sec. cor.
133.27	Intersect the North boundary of Tp. 14.16 chs. E of the cor. of secs. 3, 4, 33 and 34, which is a post 4 ins. sq., marked and witnessed as described by the Surveyor General. At the point of intersection I set a fir post 3 ft. long, 4 ins. sq., 24 ins. in the ground for closing cor. of secs. 3 and 4 marked C C on S., T 25 S S 3 on E., and R 2 W S 4 on W faces with 3 groves on E and W faces, from which <p style="margin-left: 40px;">A fir, 6 ins. diam., bears S.18°E., 29 lks. dist., marked C CT 25 S R 2 W S 3 B T.</p> <p style="margin-left: 40px;">A fir, 5 ins. diam., bears S.51°W., 16 lks. dist., marked C C T 25 S R 2 W S 4 B T.</p> <p style="text-align: right; margin-right: 40px;">July 11th, 1900.</p>
50.90	At the closing cor. of secs. 3 and 4. Thence I run, S.2'E on a true line between secs. 3 and 4. Over mountainous land, through heavy timber or dense undergrowth. Descend 500 ft. to Brook 10 lks. wide, flows SE and ascend 200 ft. to
74.00	Spur, slopes SE and descend 60 ft. to
81.35	Spring branch, 1 lk. wide flows E and ascend.
93.27	Set a basalt stone 17 x 12 x 5 ins., 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W face, from which <p style="margin-left: 40px;">A hemlock, 6 ins. diam., bears S.43°E., 24 lks. dist., marked $\frac{1}{4}$ S 3 B T.</p> <p style="margin-left: 40px;">A hemlock, 18 ins. diam., bears N.42°W., 2 lks. dist., marked $\frac{1}{4}$ S 4 B T.</p>
96.00	Spur, slopes E about 175 ft. above spring branch and descend 200 ft. to