

Subdivisional and Exterior Lines of T. 25 S., R. 2 W., W. M.

CHAINS

At the point of intersection I set a basalt stone 15 x 12 x 5 ins., 10 ins. in the ground for closing cor. of secs. 7 and 18, marked C C with 2 notches on N and 4 notches on S edges, from which

A fir, 6 ins. diam., bears N.30°E., 27 lks. dist., marked C C T 25 S R 2 W S 7 B T.

A fir, 7 ins. diam., bears S.58°E., 12 lks. dist., marked C C T 25 S R 2 W S 18 B T.

Land mountainous.

Soil clay loam, 2nd rate.

Timber fir, hemlock, cedar and pine.

Undergrowth hemlock, fir, willow and cedar.

Mountainous land or land covered with heavy timber or dense undergrowth. 64.46 chs.

Connecting line. 6.99 chs.

July 22nd, 1900.

At the cor. of secs. 7, 8, 17 and 18.

Thence I run,

N.4°W between secs. 7 and 8.

Over mountainous land, through heavy timber and dense undergrowth.

Ascend.

0.32 Spring branch, 1 lk. wide, flows S.10°E.

23.00 Spur, slopes SE about 100 ft. above sec. cor. and descend 40 ft. to

26.75 Spring branch, 2 lks. wide, flows SE, thence along steep, rocky E slope.

40.00 Set a basalt stone 17 x 12 x 8 ins., 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W face, from which

A yew, 8 ins. diam., bears N.33°W., 15 lks. dist., marked $\frac{1}{4}$ S 7 B T.

A hemlock, 18 ins. diam., bears N.47°E., 17 lks. dist., marked $\frac{1}{4}$ S 8 B T.

and descend 300 ft. to