

East Bdy. of T. 25 S., R. 4 W., W. M. as surveyed by W.H. Byars.
Deputy Surveyor, under Contract No. 152, dated June 3, 1871.

CHAINS

Begin at the post, the established Cor. to Tp. 25 and
26 S., Rs. 5 and 4 W.

The post and witness trees all standing and agree with
field notes,

I run North on a random line along the East Bdy. of Secs.
36, 25, 24 and 13, Var. by Burts improved Solar Compass,
19*East. Latitude by same instrument, 43*08'N.

I set temporary half mile and mile posts at every 40 and
80 chains, and at 4 miles and 50 lks. intersect line
75 lks. West of the established Cor. to Secs. 7, 12, 13
and 18: therefore the correction will be 19 lks. East
per mile.

I find the post and witness trees all standing and agree-
ing with notes from the Surveyor Generals Office.

A Fir, 8 ins. diam., bears N.70*W., 25 lks. dist.

A Fir, 6 ins. diam., bears S.71*W., 25 lks. dist.

A Fir, 20 ins. diam., bears N.52*E., 25 lks. dist.

A Fir, 20 ins. diam., bears S.83*E., 82 lks. dist.

From this Cor. post, I run South 08*West on a true line
along the East Bdy. of Sec. 13. Va.19*30'E.

0.25 A Creek, 2 lks. wide, course W.

8.50 A Creek, 10 lks. wide, course NW.

40.50 Set Qr. Sec. post, from which

A Maple, 8 ins. diam., bears S.50*E., 27 lks. dist.

A Fir, 24 ins. diam., bears S.50*W., 16 lks. dist.

60.00 Top of ridge, course NW. and SE.

80.50 Set post Cor. to Secs. 13, 18, 19 and 24, from which

A Laurel, 12 ins. diam., bears N.60*E., 12 lks. dist.

A Fir, 24 ins. diam., bears S.60*E., 20 lks. dist.

A Cedar, 14 ins. diam., bears S.50*E., 18 lks. dist.

A Fir, 16 ins. diam., bears N.20*W., 14 lks. dist.

Timber, good, varieties of Oak, Fir, Cedar, Laurel, Alder,
Maple, etc.

North half, valley and low hills; South half, mountainous.

Land, 2nd and 3rd rate.

July 31, 1871.