

Subdivisions of T. 25 S., R. 3 W., W. M.

CHAINS

From the Cor. to Secs. 2, 3, 34 and 35, on South Bdy. of Tp., which is a post 4 ins. sq., firmly set in ground, mkd. T 25 S S 35 on NE., R 3 W S 2 on SE., T 26 S S 3 on SW., and S 34 on NW faces, with 2 notches on E. and 4 notches on W. edges, from which

A Red Fir, 20 ins. diam., bears N.67*E., 35 lks. dist.
mkd. T 25 S R 3 W S 35 B T.

A Red Fir, 20 ins. diam., bears S.20*E., 6 lks. dist.
mkd. T 26 S R 3 W S 2 B T.

A Red Fir, 18 ins. diam., bears S.45*W., 10 lks. dist.
mkd. T 26 S R 3 W S 3 B T.

A Red Fir, 15 ins. diam., bears N.58*W., 20 lks. dist.
mkd. T 25 S R 3 W S 34 B T.

Thence I run

North, between Secs. 34 and 35. Var. 21½*E.

Through timber.

21.10 A Fir, 36 ins. diam.

33.00 Descend a perpendicular bluff, course N.70*W., and S.70*E. -500

37.20 A Hemlock, 30 ins. diam.

40.00 Set Fir post, 3 ft. long, 3 ins. sq., 24 ins. in the ground for ¼ Sec. Cor. mkd. ¼ S on W. face, from which

A Cedar, 6 ins. diam., bears N.62*E., 22 lks. dist.
mkd. ¼ S B T.

A Cedar, 12 ins. diam., bears S.72*W., 50 lks. dist.
mkd. ¼ S B T.

58.50 A brook, 5 lks. wide, course E.

59.30 A Fir, 40 ins. diam.

63.25 A Fir, 30 ins. diam.

67.00 A ridge, course E. and W. +200

74.50 A brook, 3 lks. wide, course S.70*E.

80.00 Set Hemlock post, 4 ft. long, 4 ins. sq., 24 ins. in the ground for Cor. to Secs. 26, 27, 34 and 35, mkd. T 25 S S 26 on NE., R 3 W S 35 on SE., S 34 on SW., and S 27 on NW. faces, with 1 notch on S. and 2 notches on E. edges, from which