

## Subdivisions of T. 25 S., R. 3 W., W. M.

CHAINS

SE., T 26 S S 5 on SW., and S 32 on NW faces, with 4 notches on E. and 2 notches on W. faces, from which

A R. Fir, 20 ins. diam., bears S.55\*E., 5 lks. dist.  
mkd. T 26 S R 3 W S 4 B T.

A R. Fir, 40 ins. diam., bears N.25\*E., 24 lks. dist.  
mkd. T 25 S R 3 W S 33 B T.

A R. Fir, 14 ins. diam., bears S.63\*W., 8 lks. dist.  
mkd. T 26 S R 3 W S 5 B T.

A R. Fir, 12 ins. diam., bears N.2\*W., 30 lks. dist.  
mkd. T 25 S R 3 W S 32 B T.

Thence, I run

North, between Secs. 32 and 33. Var. 21 $\frac{1}{2}$ \*E.

Through heavy timber.

17.20 A Fir, 36 ins. diam.

21.00 A ridge, course NE and SW. +200

32.73 A brook, 1 lk. wide, course SW.

40.00 Set Hemlock post, 3 ft. long, 3 ins. sq., 24 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. mkd.  $\frac{1}{4}$  S on W. face, from which  
A Hemlock, 8 ins. diam., bears N.20\*W., 16 lks. dist.  
mkd.  $\frac{1}{4}$  S B T.

A Fir, 6 ins. diam., bears N.36\*E., 27 lks. dist.  
mkd.  $\frac{1}{4}$  S B T.

48.33 A Fir, 40 ins. diam.

51.10 A Fir, 30 ins. diam.

72.18 A brook, 2 lks. wide, course SW.

80.00 Set Cedar post, 4 ft. long, 4 ins. sq., 24 ins. in the ground for Cor. to Secs. 28, 29, 32 and 33, mkd.

T 25 S S 28 on NE., R 3 W S 33 on SE., S 32 on SW., and S 29 on NW. faces, with 1 notch on S. and 4 notches on E. edges, from which

A Cedar, 12 ins. diam., bears N.61\*E., 10 lks. dist.  
mkd. T 25 S R 3 W S 28 B T.

A Cedar, 10 ins. diam., bears S.50\*E., 7 lks. dist.  
mkd. T 25 S R 3 W S 33 B T.