

57

Subdivisions of T. 25 S., R. 7 W., W. M.

CHAINS

64.00 Dry gulch 40 ft. below ridge, course N. Ascend.
 77.50 Summit of ridge, 100 ft. above gulch, bears N and S.
 79.21 Intersect W. bdy. of Tp. 10.00 chs. S of cor to secs.
 7, 12, 13, and 18, which is a hemlock post firmly
 set in the ground marked and witnessed as described.
 by the Surveyor General.

I obliterate marks on post and bearing trees referring
 to secs. in R. 7 W.

At point of intersection set a fir post, 3 ft. long, 4
 ins. sq. 24 ins. in the ground for closing cor. for
 secs. 7 and 18, marked C. C. T 25 S R 7 W on E.

S 7 on N and S 18 on S faces, with 4 grooves on S and
 2 grooves on N faces, from which

A Fir, 18 ins. diam., bears N.70°E., 42 lks. dist.
 marked C C T 25 S R 7 W S 7 B T.

A Fir, 10 ins. diam., bears S.44°E., 50 lks. dist.
 marked C C T 25 S R 7 W S 18 B T.

Land, mountainous.

Soil 3rd rate and 4th rate.

Timber, good, fir and cedar.

Undergrowth, arrowwood, hazel, salal and pigeon berry.

Mountainous land, or land covered with dense undergrowth

79.21 chs.

November 2, 1896.

From the witness cor. on line between sec. 8 and 9, on
 the south bank of Umpqua river which is a Myrtle 6
 ins. diam. now fallen, from which

A Fir, 15 ins. diam., bears N.65°E., 40 lks. dist.
 (to roots of tree) markings visible.

Could find no trace of the maple described in the
 Surveyor General's notes.

I set a Myrtle post, where the Myrtle tree stood, 3 ft.
 long, 4 ins. sq. together with a marked stone in a
 stone mound 3 ft. base, 1½ ft. high for a new witness