

Subdivisions of T. 25 S., R. 7 W.

CHAINS

N.0\*2'W., on a Random line between Secs. 2 and 3.  
Var. 20\*E.

40.00 Set temp.  $\frac{1}{4}$  Sec. cor.

81.83 Intersect N. bdy. of the Tp., 30 lks. E. of cor. to  
Secs. 2, 3, 34 and 35, hereinbefore described.

Thence I run

S.0\*14'E., on a True line between Secs. 2 and 3.

11.25 Summit of ridge, 160 ft. above cor., bears NE and SW.,  
and descend over uneven ground.

41.83 A Cedar, 24 ins. diam., for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$ S on  
W side, from which

A Cedar, 30 ins. diam., bears N.45\*E., 50 lks.  
dist., marked  $\frac{1}{4}$  S B T.

A Fir, 40 ins. diam., bears N.10\*W., 25 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

68.33 Summit of a ridge, 200 ft. above  $\frac{1}{4}$  Sec. cor.

81.83 Cor. to Secs. 2, 3, 10 and 11.

Land, mountainous.

Soil, 4th rate.

Timber, good quality of Fir, Cedar and Hemlock.

Undergrowth, Hemlock, Fir, Arrowwood, Hazel, Fern and  
Briars.

Land, mountainous, or covered with dense undergrowth.

81.83 chs.

Nov. 9, 1896.

Not being able to find the post called for in the notes  
furnished by the Surveyor General, 20.00 chs. N. of  
cor. to Secs. 3, 4, 9 and 10; therefore, I commence  
at the cor. of said Secs.. The post having been  
destroyed by fire, I determine the point from orig-  
inal witness trees as described by the Surveyor Gen-  
eral and run thence