

Subdivisions of T. 25 S., R. 9 W. W. M.,

CHAINS	
	Descend W. slope into canyon.
28.00	Foot of canyon, 500 ft. deep; creek 5 lks. wide, course S.10*W.
	Ascend steep E. slope.
34.25	Top of ridge, 300 ft. above creek, bears N.10*E. and S.10*W.
	Descend W. slope into canyon.
40.12	Set a sandstone, 18x10x3 ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on the N. face; from which,
	A fir, 20 ins. diam., bears N20*E., 15 lks. dist., marked $\frac{1}{4}$ S 12 B T.
	A fir, 10 ins. diam., bears S.51*W., 28 lks. dist., marked $\frac{1}{4}$ S 13 B T.
51.20	Creek, 8 lks. wide, in canyon 400 ft. deep, course S.
	Ascend.
	Ridge point 400 ft. high, bears N. and S.
	Descend steep W. slope.
80.24	The cor of secs. 11, 12, 13 and 14.
	Land, mountainous.
	Soil sandy and gravelly; 2nd and 3rd rate.
	Timber, fir and hemlock.
	Undergrowth; sallal, vine maple and laurel.
	Mountainous or heavily timbered lands. 80.24 chs.
	October 15, 1902
	N.0*01'W. bet. secs. 11 and 12.
	Ascend along steep W. slope, through heavy timber and dense underbrush.
5.25	Spring branch 3 lks. wide in ravine 100 ft. deep, course S.10*W.
	Ascend S. slope of mountain.
40.00	Set a fir post, 3 ft. long, 4 ins. sq., for $\frac{1}{4}$ sec. cor.
	24 ins. in the ground, marked $\frac{1}{4}$ S 11 on the W. and S. 12 on the E. faces; from which,
	A fir, 10 ins. diam., bears S.15*E., 26 lks. dist.