

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 25 S., R. 9 W. W. M.,

CHAINS	
	<p>A fir, 24 ins. diam., bears N.89*W., 29 lks. dist. marked T 25 S R 9 W S 15 B T.</p> <p>Land, rolling and mountainous.</p> <p>Soil, sandy loam and gravelly; 1st. and 3rd. rate.</p> <p>Timber, fir and hemlock.</p> <p>Undergrowth, huckleberry, laurel and sallow.</p> <p>Mountainous and heavily timbered lands, 80.00 chs.</p>
	<p>S.89*50'E. on a random line bet. secs. 14 and 23.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.80	Intersect N. and S. line 5lks. S. of the cor of secs. 13, 14, 23 and 24.
	Thence I run N.89*52'W on a true line bet. secs. 14 and 23.
	Descend along N. slope of mountain, through heavy timber and scattering undergrowth.
6.50	Creek, 5 lks. wide, in ravine, 150 ft. deep, course N.30*W.
20.65	Spring branch, 2 lks. wide, in ravine, 75 ft. deep, course N.10*W.
30.75	Foot of mountain, 500 ft. below sec. cor., bears N.60*E., S.60*W.
30.80	N. Fork Bottom Creek, 50 lks. wide, course S.60*W. Over bottom land.
32.09	A fir, 48 ins. diam., I mark with 2 notches on E. and W. sides.
37.25	Creek, 10 lks. wide, course South. Over bottom lands.
39.90	Set sandstone, 20x12x8 ins., 15 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked $\frac{1}{4}$ on the N. face; from which, A fir, 58 ins. diam., bears S.87 $\frac{1}{2}$ *W., 50 lks. dist. marked $\frac{1}{4}$ S 23 B T. A fir, 24 ins. diam., bears N.26 $\frac{1}{2}$ *W., 24 lks. dist. marked $\frac{1}{4}$ S 14 B T.