

Willamette Meridian through T. 26 S., between R's 1 E & 1 W.

CHAINS	
	At the cor. of secs. 25, 30, 31 and 36.
	Thence I run,
	North between secs. 25 and 30.
	Over mountainous land, heavily timbered and covered with dense undergrowth.
	Gradual descent along NW slope.
3.00	Ridge point, descending NW.
8.50	Creek, 3 lks. wide, course NW.
26.50	Cougar creek, 10 lks. wide, course NE.
	Along creek bottom.
35.00	Cougar creek, 10 lks. wide, course N.10*W.
36.50	Leave creek.
	Difference between measurements of 40.00 chs. by two sets of chainmen is 8 lks.; position of middle point
	By 1st set, 39.96 chs.
	By 2nd set, 40.04 chs., the mean of which is
40.00	Set a basalt stone 12 x 8 x 6 ins., 8 ins. in the ground
	for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W face, from which
	A fir, 20 ins. diam., bears S.68*E., 25 lks. dist., marked $\frac{1}{4}$ S 30 B T.
	A cedar, 30 ins. diam., bears N.78*W., 25 lks. dist., marked $\frac{1}{4}$ S 25 B T.
	Along E slope.
	Difference between measurements of 80.00 chs. by two sets of chainmen is 20 lks.; position of middle point
	By 1st set, 79.90 chs.
	By 2nd set, 80.10 chs., the mean of which is
80.00	Set a basalt stone 14 x 8 x 5 ins., $9\frac{1}{2}$ ins. in the ground
	for cor. of secs. 19, 24, 25, and 30, marked with 4 notches on N and 2 notches on S edge, from which
	A hemlock, 16 ins. diam., bears N.44*E., 41 lks. dist., marked T 26 S R 1 ES 19 B T.
	A hemlock, 10 ins. diam., bears S.45*E., 8 lks. dist., marked T 26 S R 1 E S 30 B T.