

Retracement of North Boundary of T. 26 S., R. 1 W., W. M.

CHAINS	
	Over mountainous land, heavily timbered and covered with dense undergrowth.
	Descend SW slope.
6.75	Creek, 1 lk. wide, course SE.
	Ascend E slope.
30.00	Ridge bears N and S.
	Descend W slope.
39.85	The $\frac{1}{4}$ sec. cor. which is a sandstone 5 x 12 x 4 ins., above ground, firmly set, marked and witnessed as described by the Surveyor General.
	I re-establish this cor. in its original position as the $\frac{1}{4}$ sec. cor. on S boundary of sec. 32, T. 24 S., R. 1 W., only, as follows:
	Stone above described, already set, from which
	A fir, 48 ins. diam., bears N.41 $\frac{1}{2}$ *E., 130 lks. dist., marked $\frac{1}{4}$ S 32 B T.
	A maple, 4 ins. diam., bears N.21 $\frac{1}{2}$ *W., 62 lks. dist., marked $\frac{1}{4}$ S 32 B T.
	I obliterate marks on former bearing tree referring to sec. 5.
	The course of this line is West and the distance is 39.85 chs.
	From the $\frac{1}{4}$ sec. cor. I run,
	West on S boundary of sec. 32, T. 25 S., R. 1 W.
	Descend SW slope.
4.00	Revine, course SW.
12.25	Creek, 5 lks. wide, course S.
	Ascend E slope.
16.25	Ridge point descending S.
	Descend SW slope.
19.90	Fairview creek, 8 lks. wide, course S.20*E.
	Ascend E slope.
40.20	The cor. of secs. 5, 6, 31 and 32, which is a fir post 4 ins. sq., 12 ins. above ground, firmly set, marked