

Resurvey of West Boundary of T. 26 S., R. 1 W., W. M.

| CHAINS | |
|---------------------|--|
| | <p>A cedar, 10 ins. diam., bears N.77*W., 14 lks. dist., marked W C $\frac{1}{4}$ S. 24 B T.</p> |
| 43.80 | Point for $\frac{1}{4}$ sec. cor. on bluff. |
| 82.00 | North Umpqua river, 2.50 chs. wide, course W. Ascend S slope. |
| 87.60 | The cor. of secs. 13 and 24, T. 26 S., R. 2 W. Land mountainous. Soil stony, 4th rate. Timber fir, cedar and hemlock. Undergrowth vine maple, hazel and hemlock. |
| | July 30, 1910. |
| | <p>At the cor. of secs. 25 and 36, T. 26 S., R. 2 W. Thence I run, South on a random line on E. boundary of sec. 36, T. 26 S., R. 2 W.</p> |
| 40.00 | The $\frac{1}{4}$ sec. cor. is not found after careful search. Set temp. $\frac{1}{4}$ sec. cor. |
| 55.05 | The cor. of Tps. 26 and 27 S., R. 2 W., which is a basalt stone 5 x 12 x 8 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General. |
| | <p>Thence I run, North on a true line on E. boundary of sec. 36, T. 26 S., R. 2 W. Over mountainous land, heavily timbered and covered with dense undergrowth. Ascend S slope.</p> |
| 27.52 $\frac{1}{2}$ | Set a basalt stone 15 x 12 x 4 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor. on E. boundary of sec. 36, T. |