

## Retracement of South Boundary of T. 26 S., R. 1 W., W. M.

CHAINS  
40.39

The cor. of secs. 3, 4, 33 and 34, which is a basalt stone 5 x 12 x 10 ins., above ground, firmly set, marked and witnessed as described by the Surveyor General.

The course of this line is East and the distance is 40.39 chs.

August 1, 1910.

At the cor. of secs. 3, 4, 33 and 34.

Thence I retrace,

East on N boundary of sec. 3, T. 27 S., R. 1 W.

39.96

The  $\frac{1}{4}$  sec. cor. which is a basalt stone 6 x 10 x 10 ins., above ground; firmly set, marked and witnessed as described by the Surveyor General.

The course of this line is East and the distance is 39.96 chs.

From the  $\frac{1}{4}$  sec. cor. I retrace

East on N boundary of sec. 3, T. 27 S., R. 1 W.

40.10

The cor. of secs. 2, 3, 34 and 35, which is a basalt stone 6 x 8 x 8 ins., above ground, firmly set, marked and witnessed as described by the Surveyor General.

The course of this line is East and the distance is 40.10 chs.

From the cor. of secs. 2, 3, 34 and 35 I retrace

East on N boundary of sec. 2, T. 27 S., R. 1 W.

40.21

The  $\frac{1}{4}$  sec. cor. which is a basalt stone 6 x 12 x 12 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General.

The course of this line is East and the distance is 40.21 chs.

From the  $\frac{1}{4}$  sec. cor. I retrace

East on N boundary of sec. 2, T. 27 S., R. 1 W.

40.34

The cor. of secs. 1, 2, 35 and 36 which is a basalt stone