

Resurvey of Subdivisional Lines, T. 26 S., R. 1 W.

CHAINS
39.90

(Apportioned distance) Set a basalt stone, 15x14x7 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, from which

A fir, 18 ins. diam., bears S.75*E., 29 lks. dist., marked $\frac{1}{4}$ S 31 B T.

A fir, 18 ins. diam., bears N.24*W., 12 lks. dist., marked $\frac{1}{4}$ S 30 B T.

44.50 Ascend bluff, 60 ft. high, bears NE and SW.

45.00 Precipitous point, slopes S.; descend SW slope over bluffs.

47.50 Foot of bluffs; continue descent.

60.00 Descend bluff, 30 ft. high.

60.80 Ravine, course SW.; ascend SE slope.

67.75 Spur, slopes SW.; descend NW slope.

72.63 Intersect the old closing cor. of secs. 30 and 31, previously described, which I now destroy and obliterate marks on old bearing trees.

72.99 Intersect the E bdy. of T. 26 S., R. 2 W., N.0*22'E., 10.54 chs. from the cor. of secs. 25 and 36.

At the point of intersection, set a basalt stone, 15x8x6 ins., 10 ins. in the ground, for closing cor. of secs. 30 and 31, marked C C on E., with 5 grooves on N and 1 groove on S face, from which

A maple, 14 ins. diam., bears N.25*E., 4 lks. dist., marked C C T 26 S R 1 W S 30 B T.

A hemlock, 12 ins. diam., bears S.70*E., 26 lks. dist., marked C C T 26 S R 1 W S 31 B T.

Land, mountainous.

Soil, rocky; 3rd and 4th rate.

Timber, fir, cedar and hemlock.

Undergrowth, snowbrush, lilac and madrona.