

314

## County Surveyor's Record, Douglas County, Oregon

### Resurvey of Subdivisional Lines of T. 26 S., R. 1 W.

<p>CHAINS 28.35</p>	<p>Creek, 6 lks. wide, course N; ascend NE slope.</p>
<p>33.35</p>	<p>Trail, bears NW and SE.</p>
<p>40.09</p>	<p>Intersect the <math>\frac{1}{2}</math> sec. cor., which is a conglomerate stone, 6x8x6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General.</p>
<p>48.00</p>	<p>Spur, slopes NW; descend W slope.</p>
<p>59.00</p>	<p>Creek, 2 lks. wide, course NW; ascend NE slope.</p>
<p>62.50</p>	<p>Spur, slopes N; descend NW slope.</p>
<p>67.85</p>	<p>Creek, 3 lks. wide, course N; ascend E. slope.</p>
<p>72.76</p>	<p>Intersect the E. bdy. of T. 26 S., R. 2 W., N.1*22'W., 5.35 chs. from the cor. of secs. 24 and 25.</p> <p>At the point of intersection, set a basalt stone, 15x8x6 ins., 10 ins. in the ground, for closing cor. of secs. 19 and 30, marked CC on E., with 4 grooves on N and 2 grooves on S face, from which</p> <p style="padding-left: 40px;">A fir, 30 ins. diam., bears N.58*E., 14 lks. dist., marked C C T 26 S R 1 W S 19 B T.</p> <p style="padding-left: 40px;">A cedar, 18 ins. diam., bears S.81*E., 23 lks. dist., marked C C T 26 S R 1 W S 30 B T.</p> <p>From this cor. the old closing cor. of secs. 19 and 30, previously described, bears W, 72 lks. dist., which I now destroy and obliterate marks on the old bearing trees.</p> <p>Land, mountainous.</p> <p>Soil, stony clay loam, 3rd rate.</p> <p>Timber, fir, hemlock and cedar.</p> <p>Undergrowth, hemlock, rhododendron and hazel.</p>
	<p>I return to the cor. of secs. 19, 20, 29 and 30, heretofore described.</p> <p>Thence N.0*20'E., on a true line, bet. secs. 19 and 20. Over mountainous land, through dense timber and undergrowth.</p> <p>Ascend SW slope.</p>
<p>5.55</p>	<p>Trail, bears NW and SE</p>
<p>17.20</p>	<p>Spur, slopes W; descend N slope.</p>