

Resurvey of Subdivisional Lines, T. 26 S., R. 1 W.

<p>CHAINS 39.89</p>	<p>Intersect the $\frac{1}{4}$ sec. cor., which is a basalt stone, 4x8x6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General.</p> <p>Thence N.0*16'E, continuing my measurement.</p>
<p>41.00</p>	<p>Descend broken NE slope.</p>
<p>53.50</p>	<p>Creek, 3 lks. wide, course NW.</p>
<p>55.50</p>	<p>Creek, 5 lks. wide, course NW; ascend SW slope.</p>
<p>64.00</p>	<p>Creek, 1 lk. wide, course W.</p>
<p>72.00</p>	<p>Spur, slopes W; descend N. slope.</p>
<p>76.00</p>	<p>Descend over bluffs.</p>
<p>79.25</p>	<p>Foot of bluffs.</p>
<p>81.83</p>	<p>Intersect the cor. of secs. 17, 18, 19 and 20, which is a basalt rock in place, 10x12x8 ins. above ground, marked and witnessed as described by the Surveyor General.</p> <p>Land, mountainous.</p> <p>Soil, stony clay loam, 3rd rate.</p> <p>Timber, fir, cedar, hemlock, madrona and chinquapin.</p> <p>Undergrowth, hazel, hemlock, vine maple and dogwood.</p>
	<p>S.89*40'W, on a true line bet. secs. 18 and 19.</p> <p>Over mountainous land, through dense timber and undergrowth.</p> <p>Descend steep rocky W slope.</p>
<p>2.50</p>	<p>Enter rocky flat, bears NE and SW.</p>
<p>7.50</p>	<p>Leave flat, bears N and S; descend W slope.</p>
<p>14.55</p>	<p>Creek, 10 lks. wide, course N; ascend NE slope.</p>
<p>27.00</p>	<p>Ascend sloping bluff, 160 ft. high.</p>
<p>28.25</p>	<p>Top of bluff.</p>
<p>31.00</p>	<p>Spur, slopes N; descend steep rocky NW slope.</p>
<p>39.82</p>	<p>Intersect the $\frac{1}{4}$ sec. cor., which is a basalt stone, 5x10x6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General.</p> <p>Thence West continuing my measurement.</p>
<p>64.87</p>	<p>Intersect the witness cor. to the closing cor. of secs. 18 and 19, heretofore described, on left bank of North Umpqua River, course S.80*W.</p>