

Retracement-Reestablishment
Portion of W. Bdy. of T. 26 S., R. 2 W.

CHAINS

the cor. have disappeared. I re-establish this cor. in its original position, as follows:

Set a fir post, 3 ft. long, 4 ins. sq. 24 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked T 26 S S 30 on NE., R 2 W S 31 on SE., S 36 on SW and R 3 W 25 on NW faces, with 1 notch on S and 5 notches on N edges, witnessed by the original bearing trees as follows:

A red fir, 30 ins. diam., bears N.22°E., 30 lks. dist. Marked T 26 S R 2 W S 30 B T

A red fir, 26 ins. diam., bears S.45°E., 33 lks. dist. Marked T 26 S R 2 W S 31 B T

A laurel, 12 ins. diam., bears S.68°W., 40 lks. dist. Marked T 26 S R 3 W S 36 B T

The true course and distance of this line from the $\frac{1}{4}$ sec. cor. is S.0°44'E., 39.87 chs.

South, retracing the W. bdy. of sec. 31

Descend gradual SW slope through dense fir thicket

1.90 Trail, bears E and W

7.72 Main trail from Peel to Hooperville, bears E and W

13.58 Stream, 2 lks. wide, course SW; ascend

28.87 Top of ridge, bears NE and SW; descend

39.99 Fall 42 lks. W. of the point for $\frac{1}{4}$ sec. cor., located by reference to the NE bearing tree as described by the surveyor general; all other traces of the cor. have disappeared. I re-establish this cor. in its original position, as follows:

Set a fir post, 3 ft. long, 3 ins. sq. 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S 36 on W. face and 31 on E face; from which

A fir, 24 ins. diam., bears N.50°E., 24 lks. dist.

Marked $\frac{1}{4}$ S B T (Original bearing tree)