

Resurvey of Subdivisional Lines, T. 26 S., R. 2 W.

CHAINS	
10.50	Ravine, course SW
13.60	Spur, slopes S
15.00	Ravine, course SW
22.60	Creek, 4 lks. wide, course S
30.90	Creek, 2 lks. wide, course S
37.15	Ravine, course S
40.26	(Midpoint) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ cor. of sec. 26 only, with brass cap marked
	<u>$\frac{1}{4}$S26</u> 1916
	from which
	A laurel, 6 ins. diam., bears N.56*E., 24 lks. dist.
	Marked $\frac{1}{4}$ S 26 B T
	A cedar, 50 ins. diam., bears N.42*W., 23 lks. dist.
	Marked $\frac{1}{4}$ S 26 B T
	The cor. established by Deputy Gibb in 1909 as the $\frac{1}{4}$ cor. of secs. 26 and 35, which is a granite stone, 5x10x6 ins. above ground, firmly set, marked and witnessed as described by the surveyor general, bears N.0*20'E., 18.72 chs. dist.
	I destroy the cor. set in the rejected revision survey as the $\frac{1}{4}$ cor. of secs. 26 and 35, and marks on bearing trees
47.10	Creek, 3 lks. wide, course SE, ascend SW slope
62.50	Spur, slopes S, descend steep SE slope
71.20	Creek, 2 lks. wide, course S, ascend steep rocky SW slope
80.52	Intersect the cor. of secs. 25, 26, 35 and 36
	Land, mountainous
	Soil, rocky, 4th rate
	Timber, fir, cedar, sugar pine and laurel
	Undergrowth, hazel, arrowwood, laurel and chinquapin
	I return to the SW cor. of sec. 26, heretofore described
	Thence
	North, on a true line, on W bdy. of sec. 26