

Resurvey of Subdivisional Lines, T. 26 S., R. 2 W.

CHAINS 59.81	<p>Intersect S bdy. of sec. 26, 7.19 chs. E of SW cor. of sec. 26, heretofore described</p> <p>At the point of intersection</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for closing cor. of secs. 34 and 35, with brass cap marked</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2">T26SR2W</td></tr> <tr><td colspan="2">S26</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S34</td><td style="padding: 0 5px;">S35</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">T26S</td><td style="padding: 0 5px;">R2W</td></tr> <tr><td colspan="2" style="text-align: center;">CC</td></tr> <tr><td colspan="2" style="text-align: center;">1916</td></tr> </table> </div> <p>from which</p> <p style="margin-left: 40px;">A cedar, 10 ins. diam., bears S.15*E., 43 lks. dist. Marked T 26 S R 2 W S 35 B T</p> <p style="margin-left: 40px;">A fir, 20 ins. diam., bears S.38*W., 21 lks. dist. Marked T 26 S R 2 W S 34 B T</p> <p>Land, mountainous</p> <p>Soil, stony clay loam, 3rd rate</p> <p>Timber, firm hemlock, cedar and yew</p> <p>Undergrowth, hazel, arrowwood and vine maple</p>	T26SR2W		S26		S34	S35	T26S	R2W	CC		1916	
T26SR2W													
S26													
S34	S35												
T26S	R2W												
CC													
1916													

Retracement and Resurvey of Subdivisional Lines,
T. 26 S., R. 2 W.

	<p>I commence at the cor. of secs. 3, 4, 33 and 34, on S bdy. of the Tp., which is a cedar post, 4 ins. sq. 12 ins. above ground, marked and witnessed as described by U. S. Surveyor Collier in his field notes of resurvey of the S. Bdy. of this Tp.</p> <p>Thence</p> <p>N.0*02*W., retracing the line bet. secs. 33 and 34</p> <p>Over mountainous land, through dense timber and undergrowth</p> <p>Ascend S slope</p>
30.00	Spur, slopes SE, ascend SE slope
39.65	Fall 14 lks. W. of the 1/4 sec. cor., established by Deputy Gibb in 1909, which is a fir post, 4 ins. sq. 12 ins.