

Retracement and Resurvey of Subdivisional Lines, T. 26 S., R. 2 W.

CHAINS

Thence South, on random line, bet. secs. 15 and 16.
 At 78.49 chs. 1st temp. cor. of secs. 15, 16, 21 and 22
 bears West, 1.65 chs.
 At 80.00 chs. set 2nd temp. cor. of secs. 15, 16, 21 and
 22.
 From these temp. cors. I extend cardinal offsets, as
 follows:
 From 1st temp. cor. south 1.51 chs.
 From 2nd temp. cor. west 1.65 chs. to an intersection
 where I

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 15, 16, 21 and 22, with brass
 cap marked

	T26S	R2W
	S16	S15
Should be marked	S21	S22

tract 37 instead of S 1918
21

from which

A sugar pine, 20 ins. diam., bears N.60*E., 31 lks.
 dist. Marked T 26 S R 2 W S 15 B T

A laurel, 16 ins. diam., bears S.44*E., 16 lks. dist.
 Marked T 26 S R 2 W S 22 B T

A fir, 10 ins. diam., bears S.76*W., 12 lks. dist.
 Marked T 26 S R 2 W S 21 B T Should be marked
 tract 37 instead of S 21

A fir, 8 ins. diam., bears N.74*W., 6 lks. dist.
 Marked T 26 S R 2 W S 16 B T

The true course and length of the line bet. secs. 15 and
 16 is S.1*11'W., 80.02 chs.

I commence again at the cor. of secs. 8, 9, 16 and 17,
 which I verify as the original McQuinn cor. The old cor.,
 a post, has been replaced by a stake and the old post is
 not found. The cor. point is witnessed as described by
 the surveyor general.

I perpetuate this cor. by setting an iron post, 3 ft. long,
 2 ins. diam., 24 ins. in the ground, for cor. of secs.
 8, 9, 16 and 17, with brass cap marked

	T26S	R2W
	S8	S9
	S17	S16

1918

Thence South, on random line, bet. secs. 16 and 17.
 At 67.40 chs. right bank of North Umpqua River, point for
 triangulation, set flag. I regain line on S bank of