

Retracement and Resurvey of Subdivisional Lines, T. 26 S., R. 2 W.

CHAINS

ground, for closing cor. of secs. 21 and 28, with brass cap marked

	T26S	T26S
CC	S21	R2W
	S28	
	R2W	S22
	1918	

from which

A hemlock, 6 ins. diam., bears S.32\*W., 33 lks. dist.

Marked C C T 26 S R 2 W S 28 B T

A fir, 40 ins. diam., bears N.11\*W., 50 lks. dist.

Marked CC T 26 S R 2 W S 21 B T

Land, mountainous

Soil, stony clay loam, 3rd rate

Timber, fir, hemlock, cedar and sugar pine

Undergrowth, hemlock, hazel and vine maple

I commence at the cor. of secs. 20, 21, 28 and 29, established by Deputy Gibb in 1909, which is a granite stone, firmly set, marked and witnessed as described by the surveyor general

Thence

North, retracing the line bet. secs. 20 and 21

Over mountainous land, through heavy timber and dense undergrowth

40.20 Intersect the  $\frac{1}{4}$  cor. of secs. 20 and 21, established by Deputy Gibb in 1909, which is a granite stone, 6x12x5 ins. above ground, firmly set, marked and witnessed as described by the surveyor general

Thence

North, continuing my measurements, resurveying the line bet. secs. 20 and 21

Over mountainous land, through dense timber and undergrowth

Ascend steep SE slope