

Segregation Survey of Power Reserve in SE $\frac{1}{4}$ SW $\frac{1}{4}$
 Sec. 9, T. 26 S., R. 3 W.

CHAINS

Descend along NW slope.

0.74 Road, bears N and S.

2.39 To Angle Point No. 6.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for Angle Point No. 6, Power Reserve, with brass cap marked

A P 6
 P R
 1924

217060

from which

An ash, 14 ins. diam., bears N.63*W., 13 lks. dist., marked A P 6 P R B T.

Thence

N.45*40'E., parallel to and 100 ft. dist. from the meander line on the left bank of North Umpqua River.

Ascend NW slope.

1.65 Road, bears N and S.

5.65 Descend along NW slope.

8.08 Road, bears NE and SW.

9.13 To Angle Point No. 7, which is on the meridional center subdivisional line of Sec. 9.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for Angle Point No. 7, Power Reserve, with brass cap marked

A P 7
 P R
 1924

*217051
 (217070)*

from which

A yew, 15 ins. diam., bears S.84*W., 42 lks. dist., marked A P 7 P R B T.

Thence

N.0*56'W., along the meridional center subdivisional line of Sec. 9.

2.09 100 ft. normal distance.