

27

Survey of the Sub-divisions and Meanders of T. 26 S., R. 6 W.

CHAINS		
	East, on random between Secs. 22 & 27.	
	Var. 19°15'E.	
68.92	Intersect right bank of N. Umpqua.	
68.92	Set temp. meander post, measured N.21½°E. 101 lks. base, whence object in line on left bank bears S.73°E. Distance over river 344 lks. Thence East 46 lks.	
72.82	Set temp. meander post.	
79.32	Intersect North & South line at post.	
	West, on true line between Secs. 22 & 27.	
6.50	Intersect left bank N. Umpqua and set Meander post, from which	
	A W. Oak 12 ins. diam. bears N.12½°W. 97 lks.	
	A ditto 12 ins. diam. bears S.10°W. 217 lks.	
	Course of River S.20°W, current rapid, bank 8 feet high.	
10.40	Set post on right bank, from which	
	An Ash 10 ins. diam. bears S.58½°W. 84 lks.	
	a ditto 18 ins. diam. bears N.23½°E. 68 lks.	
16.00	A road, course N.20°E.&S.20°W..	
39.66	Set ¼ sec. post, from which	+100
	A W. Oak 16 ins. diam. bears N.12½°E. 450 lks.	
	Make trench as per instructions.	
41.00	Top of ascent, course N.&S.	+10
53.25	A road, course, N.&S.	-60
68.00	A trail, course N.E.&S.W.	-20
75.00	Bed of stream 6 lks wide, course South.	
79.32	To Section Corner.	level
	Land, level and rolling prairie.	
	Soil, good 2nd rate.	
North, between Secs. 21 & 22.		
	Var.19°15'E.	
17.30	A road, course N.20°E.&S.20°W.	+30
35.00	Top of ascent on east slope of hill	+80