

Survey of the Sub-divisions and Meanders of T. 26 S., R. 6 W.

CHAINS		
79.60	To section corner in river. Land, hilly oak openings. Soil, 3rd rate.	
<hr/> North, between Secs. 29 & 30.		
From a point 210 lks. East of Section Corner in river, measured N.27.36 chs.. Thence West 210 lks. into line on right bank of Umpqua River.		
27.36	Set Meander post, from which A Maple 14 ins. diam. bears S.27 $\frac{1}{2}$ *E. 85 lks. An Ash 12 ins. diam. bears N.44*W. 64 lks. Course of river N.30*W., Bank 25 feet high.	level
40.00	Set $\frac{1}{4}$ sec. post, from which. An Ash 10 ins. diam. bears S.71 $\frac{1}{2}$ *W. 368 lks. Make trench, as per instructions.	
46.15	Solomon Fitzhugh's house bears N.70*W. 400 lks.	
50.50	Enter Fitzhugh's field E.&W.	level
61.00	Leave field, course N.W.&S.E.	level
80.00	Set post cor. to Secs. 19,20,29 & 30. Drove charred stake and raised mound with trench and pits. South 27 chs. in river, North 53 chs. level prairie. Soil, good 2nd rate.	
<hr/> S.89*36'E. on random between Secs. 20 & 29. Var.19*30'E.		
80.06	Intersect N.&S. line 10 lks. South of Section Corner. N.89*40'W. on true line between Secs. 20 & 29.	
2.00	Begin to ascend, course N.&S.	
10.00	Top of ascent, course N.E.&S.W.	+250
40.03	Set $\frac{1}{4}$ sec. post, from which A <del>W</del> . Oak 22 ins. diam. bears N.55 $\frac{1}{2}$ *E. 160 lks. A ditto 12 ins. diam. bears S.58 $\frac{1}{2}$ *W. 34 lks.	-350
40.25	Foot of hill and leave oak openings and enter prairie, course N.E.&S.W.	-10
44.00	A spring, course S.W.	