

Subdivisions, T. 26 S., R. 8 W.

CHAINS

39.22 Set fir post, for $\frac{1}{2}$ sec. cor. 3 ft. long, 3 ins. sq.
 from which
 A fir, 48 ins. diam., bears S.20*E., 50 lks. dist.
 A fir, 36 ins. diam., bears S.10*W., 45 lks. dist.

79.22 Cor. to secs. 1, 2, 11, and 12.
 This line is very broken and rocky with sharp ridges
 and canyons.
 Timber, fir, cedar, hemlock, laurel and maple.
 Undergrowth, fir, vinemaple, and hazel.

Aug. 4th. 1881

Subdivisions, of T. 26 S., R. 8 W.
 As surveyed by William P. Heydon, Deputy
 Surveyor, under Contract No. 656, dated May 21, 1896.

At the cor. of Tps. 26 and 27 S., Rs. 7 and 8 W., which
 is a badly decayed fir post. I set a new fir post, 3
 ft. long, 4 ins. sq., 24 ins. in the ground for cor.
 of Tps. 26 and 27 S Rs 7 and 8 W, marked T 26 S ^SR 31
 on NE, R 7 W S 6 on SE, T 27 S S 1 on SW and R 8 W S 36
 on NW faces; with 6 notches on each edge. from which
 the original witness trees
 A cedar 24 ins. diam. (given in Surveyor Generals notes
 as 18 ins. diam.) bears N.20*E., 102 ¹⁸⁵chs. dist.
 (marks overgrown)
 A fir, 36 ins. diam. (now dead) bears S.50*E., 4 lks.
 dist. marks indistinct.
 A fir, 24 ins. diam., bears S.32*W., 83 lks. dist.,
 marked T 27 S R 8 W S 1 B T.
 A fir, 36 ins. diam., bears N.40*W., 93 lks. dist.,
 marked T 27 S R 8 W S 36 B T.

Thence I run
 North to retrace E. bdy. of sec. 36.

Va.20*15*E.

Over ascending ground

11.20 A branch, 6 lks. wide, runs SW.
 29.25 A branch, 2 lks. wide, course W.
 31.10 A branch, 6 lks. wide, course SW.