

Corrections of Surveys in T. 26 S., R. 8 W.

CHAINS

from cor. and raised a mound of earth, 2 ft. base,  $1\frac{1}{2}$  ft. W. of cor.

June 7, 1898

William P. Heydon.  
U.S.Dept. Surveyor.

Resurvey of the E. Bdy. of T.26 S., R.9 W.  
As Surveyed by John W. Meldrum, Deputy Surveyor,  
under Contract No. 662, dated May 21, 1896.

September 10: At 7h. 57m. A.M. L.M.T., I set off  $43^{\circ}15'$  on the lat. arc;  $4^{\circ}37'N.$  on the decl. arc. and determine a true Meridian with the Solar, at the cor. of Tps. 26 and 27 S., Rs. 8 and 9 W., which is a new fir post, 3 ft. long, 6 ins. sq. 1 ft. above the ground, marked C C in addition to other proper marks, corresponding with marks on the old laurel post, which is badly decayed and lying upon the ground beside the new post, which is witnessed as described by the Surveyor General.

Thence I run

$N.4^{\circ}6'W.$  on a true line bet. secs. 31 and 36.

40.00 Set fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, from which

A chinquapin, 11 ins. diam., bears  $S.38^{\circ}E.$ , 16 lks. dist., marked  $\frac{1}{4}$  S B T.

A fir, 13 ins. diam., bears  $S.34^{\circ}W.$ , 37 lks. dist., marked  $\frac{1}{4}$  S B T.

From this cor. the old  $\frac{1}{4}$  sec. cor. which is a point witnessed by the fir bearing tree on  $S.80^{\circ}E.$  the post and other bearing tree having been destroyed by fire, bears  $N.21^{\circ}45'W.$ , 69 lks. dist. I destroy all marks of the old cor. on the remaining bearing tree of the original survey.

56.00 Roseburgh and Coos Bay Trail, bears E. and W.

58.50 Leave green timber; enter old clearing; descend, bears E. and W.