

County Surveyor's Record, Douglas County, Oregon

North Boundary of T. 27 S.. R. 1 W.

CHAINS

A hemlock, 30 ins. diam., bears N.31*E. 19 lks. dist.
marked $\frac{1}{4}$ S 32 B T.

A hemlock, 12 ins. diam., bears S.38*E. 15 lks. dist.
marked $\frac{1}{4}$ S 5 B T.

42.25 A perpendicular cliff, 25 ft. high bears NE. & SW.

44.25 A spring branch, 2 lks. wide, course N.

56.75 Creek, 20 lks. wide, course NW.

59.00 Begin ascent, hillside bears N. & S.

80.00 Set a basalt stone, 15x12x5 ins., 10 ins. in ground for
cor. of secs. 4, 5, 32 and 33, marked with 4 notches
on E. and 2 notches on W. faces, from which

A hemlock, 10 ins. diam., bears N.53*E. 38 lks. dist.
marked T 26 S R 1 W S 33 B T.

A hemlock, 12 ins. diam., bears S.44*E. 78 lks. dist.
marked T 27 S R 1 W S 4 B T.

A hemlock, 24 ins. diam., bears S.67*W. 49 lks. dist.
marked T 27 S R 1 W S 5 B T.

A hemlock, 14 ins. diam., bears N.52*W. 55 lks. dist.
marked T 26 S R 1 W S 32 B T.

Land, mountainous.

Soil, stony, 4th rate.

Timber, fir, pine, laurel and hemlock.

Undergrowth, laurel and huckleberry.

Mountainous or heavily timbered land or land covered
with dense undergrowth, 80.00 chs.

East, bet. secs. 4 and 33.

Along S. slope through heavy timber and dense under-
growth.

39.80 To edge of cliff upon which point for $\frac{1}{4}$ sec. cor. falls.
Set a basalt stone, 15x10x5 ins., 10 ins. in the ground
for W. C. for $\frac{1}{4}$ sec. cor. marked W C $\frac{1}{4}$ on N. face,
from which