

Willamette Meridian through T. 27 S.

CHAINS	<p>80.00 Set a basalt stone, 20x15x5 ins., 15 ins. in ground for cor. of secs. 19, 24, 25 and 30, marked with 4 notches on N. and 2 notches on S. edges, from which</p> <p>A fir, 14 ins. diam., bears N.82*E. 61 lks. dist. marked T 27 S R 1 E S 19 B T.</p> <p>A fir, 10 ins. diam., bears S.81*E. 60 lks. dist. marked T 27 S R 1 E S 30 B T.</p> <p>A fir, 30 ins. diam., bears S.25*W. 30 lks. dist. marked T 27 S R 1 W S 25 B T.</p> <p>A fir, 30 ins. diam., bears N.80*W. 10 lks. dist. marked T 27 S R 1 W S 24 B T.</p> <p>Land, mountainous.</p> <p>Soil, stony and 3rd rate.</p> <p>Timber, fir, pine, laurel, and hemlock.</p> <p>Undergrowth, laurel and willow.</p> <p>Mountainous or heavily timbered land or land covered with dense undergrowth, 80.00 chs.</p>
4.40	<p>North, bet. secs. 19 and 24.</p> <p>Descend through heavy timber and dense undergrowth.</p> <p>A spring branch, 2 lks. wide, course N.60*W.</p> <p>Ascend.</p>
14.50	<p>Top of spur.</p> <p>Descend.</p>
21.00	<p>Perpendicular bluff, 25 ft. high.</p>
21.50	<p>A spring branch, 5 lks. wide, course NW.</p> <p>Ascend.</p>
35.00	<p>Top of divide, course E. & W.</p> <p>Descend.</p> <p>Difference between measurement of 40.00 chs. by two sets of chainmen is 12 lks.; position of middle point ,</p> <p>By 1st set, 40.06 chs.</p> <p>By 2nd set, 39.94 chs.</p>