

Subdivisions of T. 27 S., R. 1 W.

CHAINS	
	N.89*39'W. on a true line bet. secs. 9 and 16.
	Along south side of mountain, bears E. and W.
13.50	Top of divide, 1500 ft. high, bears N.55*E. and S.55*W.
	Descend over precipitous ground.
40.12½	Set a basalt stone, 20x15x5 ins., 15 ins. in ground for
	¼ sec. cor. marked ¼ on N. face, from which
	A fir, 14 ins. diam., bears N.60*E. 46 lks. dist.
	marked ¼ S 9 B T.
	A maple, 10 ins. diam., bears S.22*W. 39 lks. dist.
	marked ¼ S 16 B T.
60.00	Dry run, course SW.
80.25	The cor. of secs. 8, 9, 16 and 17.
	Land, mountainous.
	Soil, stony and 4th rate.
	Timber, fir, hemlock, pine, maple and yew.
	Undergrowth, laurel and vine maple.
	Mountainous or heavily timbered land or land covered
	with dense undergrowth, 80.25 chs.
	July 24, 1902.
	At the cor. of secs. 8, 9, 16 and 17.
	Thence I run
	N.0*3'W. bet. secs. 8 and 9.
	Ascend through heavy timber and dense undergrowth.
10.00	Top of spur, 50 ft. above sec. cor.
	Descend.
19.50	A spring branch, 5 lks. wide, course SW.
	Ascend.
40.00	Set a basalt stone, 12x10x6 ins., 8 ins. in ground for
	¼ sec. cor. marked ¼ on W. face, from which
	A fir, 14 ins. diam., bears N.33*E. 29 lks. dist.
	marked ¼ S 9 B T.
	A cedar, 12 ins. diam., bears S.32½*W. 58 lks. dist.
	marked ¼ S 8 B T.
45.00	Steep ascent over precipitous ground.
80.00	Set a basalt stone, 15x12x5 ins., 10 ins. in ground for