

Resurvey of E. Bdy. of T. 27 S., R. 4 W.

CHAINS

A Fir, 30 ins. diam., bears S.3°E., 113 lks. dist.
mkd. T 27 S R 3 W S 19 B T.

This cor. is 390 ft. below the $\frac{1}{4}$ sec. cor.

Land, mountainous.

Soil, light, gravelly loam; 3rd rate.

Timber, Fir, and Cedar.

Undergrowth, maple, chinquapin, salal and rhododendron.

N.0°12'E., resurveying the line bet. secs. 13 and 18.

Descend NW. slope through heavy timber and dense under-
growth.

11.40 Creek, 2 lks. wide, course NW., 240 ft. below sec. cor.
Thence along broken W. slope.

23.00 Top of ridge, bears NW and SE., trail along top, 80 ft.
above creek; descend NE. slope.

40.20 Apportioned distance.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ cor. of sec. 18 only, T. 27 S., R 3 W.,
with brass cap mkd.

$\frac{1}{4}$
S 18
1917

From which

A Hemlock, 14 ins. diam., bears S.51°E., 27 lks. dist.
mkd. $\frac{1}{4}$ S 18 B T.

A Maple, 10 ins. diam., bears N.9°E., 12 lks. dist.
mkd. $\frac{1}{4}$ S 18 B T.

This cor. is 330 ft. below the summit of ridge.