H5

Resurvey and Retracement of Subdivisions, T. 27 S., R. 4 W.

CHAINS	
38.46	Apportioned distance
	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ cor. of sec. 36 only, with brass cap marked
	¼S36 1917
	from which
	A cedar, 36 ins. diam., bears S.35*W., 22 lks. dist. Marked ¼ S 36 B T
	A cedar, 8 ins. diam., bears S.10*E., 21 lks. dist. Marked ¼ S 36 B T
	Descend NW slope
44.40	Middle Fork of Deer Creek, 6 lks. wide, course SW., 170 ft. below ¼ sec. cor.
47.20	Middle Fork of Deer Creek, 6 lks. wide, course NW.
	Along broken N. slope
72.00	Spring branch, course N.
76.92	Intersect the cor. of secs. 25, 26, 35 & 36, which is a decayed post, marked and witnessed as described by the surveyor general, except the SE. and SW. bearing trees have disappeared
	At the exact cor. point
	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for the cor. of secs. 25, 26, 35 & 36, with brass cap marked
	T27S | R4W S26 | S25 S35 | S36 1917
	from which
	A hemlock, 20 ins. diam., bears N.75*E., 50 lks. dist. Marked T 27 S R 4 W S 25 B T (orig. B. T.)
	A cedar, 30 ins. diam., bears S.66*E., 53 lks. dist. Marked T 27 S R 4 W S 36 B T (New B.T.)