

Retracement and Resurvey of Subdivisions, T. 27 S., R. 4 W.

CHAINS

10.80 Creek, 2 lks. wide, course NW., 200 ft. below sec. cor.

12.20 Creek, 2 lks. wide, course NW.; thence along N. slope

39.75 Set a granite stone, 14x9x9 ins., 10 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, from which
A fir, 20 ins. diam., bears N.2*15'E., 49 lks. dist.
Marked $\frac{1}{4}$ S 23 B T
A fir, 18 ins. diam., bears S.18*30'E., 37 lks. dist.
Marked $\frac{1}{4}$ S 26 B T

This cor. is 130 ft. below the creek; ascend E. slope

47.50 Spur, slopes N.; 60 ft. above $\frac{1}{4}$ cor.
Descend along NW. slope

79.50 Intersect the cor. of secs. 22, 23, 26 & 27, which is a
badly decayed post, marked and witnessed as described
by the surveyor general.
At the exact cor. point,
Set a hard limestone, 16x6x6 ins., 11 ins. in the ground,
marked with 2 notches on S. and E. edges; from which
A B oak, 20 ins. diam., bears N.31'E., 51 lks. dist.
Marked T 27 S R 4 W S 23 B T (Orig. B.T.)
A B oak, 20 ins. diam., bears S.47*30'E., 30 lks.
dist. Marked T 27 S R 4 W S 26 B T (Orig. B.T.)
A fir, 18 ins. diam., bears S.56*W., 29 lks. dist.
Marked T 27 S R 4 W S 27 B T (Orig. B.T.)
A fir, 16 ins. diam., bears N.58*15'W., 12 lks. dist.
Marked T 27 S R 4 W S 22 B T. (Orig. B.T.)

Land, mountainous
Soil, clay loam; 2nd and 3rd rate
Timber, fir, and cedar
Undergrowth, maple and salal

From the cor. of secs. 14 & 23.

North, retracing the line bet. secs. 13 and 14; at 40.00
chs. after careful and diligent search, am unable to
find any trace of old $\frac{1}{4}$ cor., set temp. cor., and at
79.48 chs. fall 186 lks. E. of the cor. of secs. 11, 12,
13 and 14.