

## Exterior Lines of T. 27 S., R. 7 W.

CHAINS		
40.00	Set $\frac{1}{4}$ Sec. post, from which	+15
	A Fir, 24 ins. diam., bears S.3*W., 220 lks. dist.	
	A Maple, 10 ins. diam., bears S.7*E., 148 lks. dist.	
49.93	A branch, 3 lks. wide, course West.	-100
52.28	A branch, 3 lks wide, course SW.	-10
63.78	Summit of ridge, course NE. and SW.	+100
75.00	Summit of ridge, course NE. and SW.	-100
80.00	Set post, cor. Secs. 18, 19, 13 and 24, from which	-180
	A Hemlock, 5 ins. diam., bears N.31*W., 13 lks. dist.	
	A Hemlock, 3 ins. diam., bears N.40*E., 7 lks. dist.	
	A Hemlock, 8 ins. diam., bears S.37*W., 26 lks. dist.	
	A Hemlock, 6 ins. diam., bears S.60*E., 2 lks. dist.	
	Mountainous.	
	Timber, Fir, Cedar and Hemlock.	
	North, on true line, between Secs. 18 and 13.	
	Va. 19 $\frac{1}{2}$ *E.	
11.48	A creek, 15 lks. wide, course SW.	-20
15.84	A tree, used for flag. From point in line above, rocky precipice offset West 70 lks. base, whence flag bears S.11 $\frac{1}{2}$ *E., dist. 344 chs.	
19.28	To point of offset, for base line	+300
40.00	Set $\frac{1}{4}$ Sec. post, from which	+50
	A Fir, 6 ins. diam., bears S.3*W., 73 lks. dist.	
	A Fir, 15 ins. diam., bears S.26*E., 11 lks. dist.	
62.58	A branch, 3 lks. wide, course SE.	-50
80.00	Set post, cor. Secs. 7, 18, 12 and 13, from which	+100
	A Fir, 48 ins. diam., bears S.10*W., 26 lks. dist.	
	A Fir, 10 ins. diam., bears N.15*E., 38 lks. dist.	
	A Fir, 20 ins. diam., bears N.13*W., 19 lks. dist.	
	A Cedar, 8 ins. diam., bears S.27*E., 25 lks. dist.	