

West Bdy. of T. 27 S., R. 8 W. W. M.

CHAINS	
	<p>A fir, 24 ins. diam., bears N.1*E., 20 lks. dist., marked $\frac{1}{4}$ S B T.</p>
	<p>A fir, 60 ins. diam., bears N.70*W., 75 lks. dist., marked $\frac{1}{4}$ S B T.</p>
50.00	<p>Top of rocky ridge, 400 ft. above Coos River. Thence descend.</p>
60.00	<p>Fall Creek, 10 lks. wide, course W. 300 ft. below ridge. At this point I am confronted by a wall of rock extending up the creek about 7. chs. and down stream as far as the eye can see. Not being able to offset E. or W. from this point, I return to summit of ridge at 50. chs. on this line and offset East, 12.00 chs. thence North.</p>
56.00	<p>Creek, 10 lks. wide, course NW. 300 lks. above the falls. Estimated height of Falls 140 ft. divided into two descents of 40 ft. and 100 ft.</p>
75.00	<p>Offset back to line, which is 300 ft. above creek at 60.00 chs. Continue to ascend.</p>
80.08	<p>Cor. to Tps. 26 and 27 S Rs. 8 and 9 W; set by Flint about 15 years ago, bears W. 4 lks. dist. The post still standing but badly decayed. As my falling is so small I donot establish a closing corner. I set new post (fir) 3 ft. long, 6 ins. sq., 24 ins. in the ground for cor. of Tps. 26 and 27 S R 8 and 9 W. marked T 26 S S 31 on NE., R 8 W S 6 on SE., T 27 S S 1 on SW., and R 9 W S 36 on NW. faces, with 6 notches on each edge, from which</p> <p>A laurel, 6 ins. diam., bears N85*E., 57 lks. dist. A fir, 20 ins. diam., bears N.70*W., 37 lks. dist. A laurel, 6 ins. diam., bears S.10*E., 26 lks. dist. A laurel, 6 ins. diam., bears S.25*W., 54 lks. dist.</p> <p>The four trees located above are the bearing trees described by the Surveyor General. The blazes are distinctly visible, but the other marks are indistinct being more or less covered with new growth.</p>