

Willamette Meridian through Township 28 South,  
As surveyed by Homer D. Angell, Deputy Surveyor. Under contract  
No. 746, dated May 5, 1902.

CHAINS	
	North, bet. secs. 31 and 36 over creek bottom through heavy timber and dense undergrowth.
2.15	A spring branch, 10 lks. wide, course NW.
11.50	A creek, 25 lks. wide, course SW.
12.00	Ascend side of mountain, bears NE. and SW.
33.25	A spring branch, 2 lks. wide, course E.
	Difference between measurement of 40.00 chs. by two sets of chainmen is 8 lks., position of middle point, By 1st. set, 40.04 By 2nd. set, 39.96, the mean of which is
40.00	Set a basalt stone, 15x12x6 ins., 10 ins. in ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; from which, A fir, 18 ins. diam., bears S.78*E., 63lks. dist., marked $\frac{1}{4}$ S 31 B T. A laurel, 10 ins. diam., bears N.12*W., 58 lks. dis. marked $\frac{1}{4}$ S 36 B T.
49.00	Top of ridge point, bears E. and W.; descend.
73.50	Foot of descent. Spring branch, 5 lks. wide course, SE. Thence along W. slope. Difference between measurement of 80.00 chs. by two sets of chainmen, 8 lks; position of middle post, By 1st. set 80.04 By 2nd. set 79.96, the mean of which is
80.00	Set a basalt stone, 12x10x8 ins., 8 ins. in ground for cor. of secs. 25 and 36, marked with 5 notches on N. and 1 notch on S. edge; from which, A fir, 20 ins. diam., bears S.32*W., 79 lks. dist., marked T 28 S R 1 W S 36 B T. A fir, 40 ins. diam., bears N.60*W., 23 lks. dist., marked T 28 S R 1 W S 25 B T.
	Land, mountainous and level. Soil, stoney 2nd. and 3rd. rates. Timber, fir, pine, laurel, maple, and cedar. Undergrowth, laurel, willow and huckleberry.