

Willamette Meridian through T. 28 South

| CHAINS | |
|--------|---|
| | At the cor. of secs. 24 and 25. |
| | Thence I run |
| | North bet. secs. 19 and 24. |
| | Ascend through heavy timber and scattering undergrowth. |
| 10.25 | Top of spur, bears E. and W. |
| | Thence along W. slope. |
| 29.00 | Top of spur course SE. and NW.; descend. |
| | Difference between measurement of 40.00 chs. by two sets of chainmen is 8 lks; position of middle point. |
| | By 1st. set, 40.04 |
| | By 2nd. set. 39.96, the mean of which is |
| 40.00 | Set a basalt stone, 14x10x5 ins., 10 ins. in ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face; from which, |
| | A fir, 14 ins. diam., bears S.75*E., 17 lks. dist., marked $\frac{1}{4}$ S 19 B T. |
| | A fir, 12 ins. diam., bears S.89*W., 33 lks. dist., marked $\frac{1}{4}$ S 24 B T. |
| 41.00 | Foot of descent, ascend. |
| 72.15 | A spring branch, 2 lks. wide course SE. |
| | Difference between measurement of 80.00 chs. by two sets of chainmen is 18 lks. position of middle point |
| | By 1st. set, 80.09 |
| | By 2nd. set, 79.91, the mean of which is |
| 80.00 | Set a basalt stone, 15x10x8 ins., 10 ins, in ground for cor. of secs. 13 and 24 marked with 3 notches on N. and S. edges; from which, |
| | A cedar, 12 ins. diam., bears S.54*W., 72 lks dist., marked T 28 S R 1 W S 24 B T. |
| | A hemlock, 12 ins. diam., bears N.20*W., 27 lks. dist. marked T 28 S R 1 W S 13 B T. |
| | Land, mountainous. |
| | Soil, stoney and 3rd. rate. |
| | Timber, fir, pine, laurel, hemlock. |
| | Undergrowth, laurel. |
| | Mountainous or heavily timbered land or land covered with dense undergrowth 80.00 chs. |