

County Surveyor's Record, Douglas County, Oregon

Subdivision of T. 28 S., R. 1 W.

CHAINS	
	A fir, 40 ins. diam., bears N.75*E., 24 lks. dist., marked $\frac{1}{4}$ S 28 B T.
54.00	Foot of descent. A creek, 10 lks. wide, course S. Ascend, bears N. and S.
67.50	Top of ridge, bears N. and S. Thence along S. slope.
80.00	The cor. of secs. 28, 29, 32 and 33. Land, mountainous. Soil, 4th. rate. Timber, fir, hemlock, pine, laurel and cedar. Undergrowth, laurel, huckleberry and chinquapin. Mountainous, or heavily timbered land or land covered with dense undergrowth, 80.00 chs.
	N.0*3'W. bet. secs. 28 and 29. Ascend, through heavy timber and dense undergrowth.
7.75	Top of spur, bears S.60*E., N.60*W. Descend.
12.25	Bearing of mountain changes to N. and S.
40.00	Set a basalt stone, 12x10x8 ins., 8 ins. in ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face; from which, A fir, 16 ins. diam., bears N.55*E., 52 lks. dist., marked $\frac{1}{4}$ S 28 B T. A fir, 40 ins. diam., bears S.15*W., 22 lks. dist., marked $\frac{1}{4}$ S 29 B T.
36.15	A spring branch, 3 lks. wide, course E. Ascend.
67.00	Top of ridge, bears E. and W. Descend.
80.00	Set a basalt stone, 15x12x8 ins., 10 ins. in ground for cor. of secs. 20, 21, 28 and 29, marked with 2 notches on S. and 4 notches on E. edges; from which,