

## County Surveyor's Record, Douglas County, Oregon

## Subdivision of T. 28 S., R. 1 W.

CHAINS	
56.75	A creek, 15 lks. wide, course E.
80.00	Set a basalt stone, 15x10x6 ins., 10 ins. in ground for cor. of secs. 4, 5, 8 and 9, marked with 5 notches on S. and 4 notches on E. edges; from which, A dogwood, 12 ins. diam., bears N.55*E., 15 lks. dist., marked T 28 S R 1 W S 4 B T. A pine, 12 ins. diam., bears S.79*E., 35 lks. dist., marked T 28 S R 1 W S 9 B T. A dogwood, 10 ins. diam., bears S.10*W., 54 lks. dist., marked T 28 S R 1 W S 8 B T. A fir, 14 ins. diam., bears N.14*E., 14 lks. dist., marked T 28 S R 1 W S 5 B T. Land, mountainous. Soil, 4th. rate. Timber, fir, pine, hemlock, laurel and dogwood. Undergrowth, laurel vine maple, willow and huckleberry Mountainous or heavily timbered land or land covered with dense undergrowth. 80.00 chs.
	S.89*56'E on a random line, bet secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line 21 lks. N. of the cor. of secs. 3, 4, 9 and 10. Thence I run. N.89*47'W. on a true line bet. secs. 4 and 9. Over almost level land through heavy timber and dense undergrowth.
3.40	A creek, 10 lks. wide, course N.75*E.
40.00	Set a basalt stone, 12x10x8 <sup>18 ins. in ground</sup> for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face; from which, A hemlock, 10 ins. diam. bears N.50*E., 41 lks. dist., marked $\frac{1}{4}$ S 4 B T. A cedar, 18 ins. diam., bears N.57*W., 39 lks. dist., marked $\frac{1}{4}$ S 9 B T.
42.00	Creek 15 lks. wide course N.75*E.