

63
County Surveyor's Record, Douglas County, Oregon

Subdivision of T. 28 S., R. 1 W.

CHAINS	
	<p>A hemlock, 24 ins. diam., bears N.44*E., 25 lks. dist., marked $\frac{1}{4}$ S 7 B T.</p> <p>A hemlock, 24 ins. diam., bears S.21*W., 24 lks. dist., marked $\frac{1}{4}$ S 18 B T.</p>
50.50	Summit of divide, 1500 ft. high, bears N. and S.
66.65	A spring Branch, 1 lk. wide, course NE.
76.90	The cor. of secs. 7, 8, 17 and 18.
	Land, mountainous.
	Soil, 4th. rate.
	Timber, fir, hemlock, pine, fir and laurel.
	Undergrowth, laurel.
	Mountainous or heavily timbered land or land covered with dense undergrowth. 76.90 chs.
	August 27, 1902
	At the cor. of secs. 7, 8, 17 and 18.
	Thence I run.
	N.0*4'W. bet. secs. 7 and 8.
	Over rolling land through heavy timber and dense undergrowth.
40.00	Set a basalt stone, 15x8x6 ins., 10 ins. in ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face; from which,
	A fir, 8 ins. diam., bears N.05*E., 26 lks. dist., marked $\frac{1}{4}$ S 8 B T.
	A fir, 10 ins. diam., bears S.85*W., 26 lks. dist., marked $\frac{1}{4}$ S 7 B T.
59.75	Enter marshy ground, bears NE. and SW.
67.00	A spring branch, 5 lks. wide, course E.
72.50	Leave marshy ground, bears E. and W.
80.00	Set a basalt stone, 15x12x7 ins., 10 ins. in ground, for cor. of secs. 5, 6, 7, and 8, marked with 5 notches on S. and E. edges; from which,
	A fir, 10 ins. diam., bears N.75*E., 31 lks. dist., marked T 28 S R 1 W S 5 B T.
	A hemlock, 12 ins. diam., bears S.20*E., 96 lks. dist., marked T 28 S R 1 W S 8 B T.