

Subdivisions of T. 28 S., R. 1 W.

CHAINS	
	On a random line N.89*45'W., bet. secs. 6 and 7
40.00	Set temp. $\frac{1}{4}$ sec. cor.
77.00	Intersect W. bdy. of T. 12 lks. N. of cor. of secs. 1, 6, 7 and 12.
	Thence I run.
	S.89*50'E., on a true line, bet. secs. 6 and 7
	Over rolling land through heavy timber and dense undergrowth.
37.00	Set a basalt stone, 15x12x8 ins., 10 ins., in ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; from which
	A fir, 14 ins. diam., bears N.25*E., 30 lks. dist.
	Marked $\frac{1}{4}$ S 6 B T
	A fir, 20 ins. diam., bears S.10*W., 20 lks. dist.
	Marked $\frac{1}{4}$ S 7 B T
52.00	A spring branch, 5 lks. wide, course SE.
77.00	The cor. of secs. 5, 6, 7 and 8
	Land, mountainous
	Soil, 3rd rate
	Timber, fir, hemlock, pine, cedar and laurel
	Undergrowth, laurel and willow
	Mountainous, or heavily timbered land or land covered with dense undergrowth. 77.00 chs.
<hr/>	
	N.0*4'W., bet. secs. 5 and 6
	Ascend, through heavy timber and dense undergrowth.
4.10	A spring branch, 3 lks. wide, course SE.
25.00	A spring branch, 3 lks. wide, course SE.
28.90	Intersect 6th standard parallel South, 20 lks. W. of the standard cor. of secs. 31 and 32.
	Set a basalt stone, 15x6x6 ins., 10 ins., in ground for closing cor. for secs. 5 and 6, marked C C on S.
	and 5 grooves on E. and 1 groove on W. faces; from which
	A fir, 12 ins. diam., bears S.22*E., 45 lks. dist.
	Marked T 28 S R 1 W S 5 B T