

Subdivision of T. 28 S., R. 2 W.

CHAINS	
	Thence I run
	N.1'E., on true line, bet. secs. 31 and 32 through dense underbrush and heavy timber.
	Ascend S slope.
4.00	Top of ridge, bears E and W.; descend NW slope.
6.20	Creek, 1 lk. wide, flows W.; ascend SW slope.
12.00	Top of ridge, bears E and W.; descend NW slope.
28.80	Myrtle Creek, 7 lks. wide, flows W.; ascend SW slope.
34.90	Top of ridge, bears E and W.; descend NW slope.
38.50	Branch of Myrtle Creek, 2 lks. wide, flows W.; ascend SW slope.
40.00	Set stone, 6x8x14 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W face, from which A fir, 40 ins. diam., bears N.79*W., 85 lks. dist., marked $\frac{1}{4}$ S 31 B T. A fir, 30 ins. diam., bears S.86*E., 42 lks. dist., marked $\frac{1}{4}$ S 32 B T.
59.80	Top of ridge, bears E and W.; divide between Myrtle Creek and Cavite Creek; descend N slope.
71.30	Creek, 1 lk. wide, flows E.; ascend SE slope.
80.00	Set stone, 8x10x18 ins., 12 ins. in the ground for cor. secs. 29, 30, 31 and 32, marked with 5 notches on E and 1 notch on S edge, from which A fir, 30 ins. diam., bears N.63*E., 150 lks. dist., marked T 28 S R 2 W S 29 B T. A fir, 30 ins. diam., bears S.69*E., 78 lks. dist., marked T 28 S R 2 W S 32 B T. A pine, 12 ins. diam., bears S.34*W., 111 lks. dist., marked T 28 S R 2 W S 31 B T. A fir, 26 ins. diam., bears N.68*W., 86 lks. dist., marked T 28 S R 2 W S 30 B T.
	Land, mountainous.
	Soil, rocky; 3d rate.